

**Table 2.52C (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2009 and 2010**

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	909	882	841	838	797	780
GEOGRAPHIC DIVISION						
Northeast	379	359	342	325	302	302
New England	186	182	156	147	151	133
Middle Atlantic	331	307	306	287	262	270
Midwest	347	329	337	362	326	344
East North Central	274	277	279	292	273	274
West North Central	208	180	194	204	184	198
South	594	561	574	567	551	533
South Atlantic	490	436	451	421	430	406
East South Central	207	221	199	202	210	187
West South Central	277	292	294	288	275	266
West	475	472	387	417	372	391
Mountain	245	196	199	206	179	206
Pacific	406	430	335	363	328	334
COUNTY TYPE						
Large Metro	1,580	1,530	768	777	703	705
Small Metro	1,080	1,159	611	598	569	550
250K – 1 Mil. Pop.	912	937	504	456	455	421
< 250K Pop.	721	698	376	369	354	341
Nonmetro	839	856	453	443	420	401
Urbanized	579	674	328	286	296	266
Less Urbanized	581	628	319	334	294	296
Completely Rural	383	317	153	134	147	114

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.52D (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.36	0.35	0.33	0.33	0.32	0.31
GEOGRAPHIC DIVISION						
Northeast	0.82	0.77	0.74	0.70	0.65	0.65
New England	1.53	1.48	1.28	1.20	1.24	1.09
Middle Atlantic	0.97	0.90	0.89	0.84	0.77	0.79
Midwest	0.63	0.60	0.61	0.65	0.59	0.62
East North Central	0.71	0.72	0.73	0.76	0.71	0.71
West North Central	1.24	1.07	1.16	1.21	1.10	1.18
South	0.65	0.60	0.62	0.61	0.60	0.57
South Atlantic	1.01	0.89	0.93	0.86	0.89	0.83
East South Central	1.38	1.47	1.33	1.34	1.40	1.24
West South Central	0.97	1.01	1.03	1.00	0.96	0.92
West	0.82	0.80	0.67	0.71	0.64	0.67
Mountain	1.37	1.08	1.12	1.14	1.01	1.14
Pacific	1.01	1.05	0.83	0.89	0.81	0.82
COUNTY TYPE						
Large Metro	0.54	0.51	0.45	0.47	0.43	0.44
Small Metro	0.60	0.61	0.62	0.61	0.60	0.58
250K – 1 Mil. Pop.	0.74	0.75	0.76	0.70	0.72	0.68
< 250K Pop.	1.03	1.06	1.07	1.11	1.08	1.06
Nonmetro	0.80	0.76	0.80	0.78	0.77	0.74
Urbanized	1.20	1.17	1.21	1.17	1.19	1.14
Less Urbanized	1.09	1.15	1.17	1.16	1.11	1.08
Completely Rural	2.71	2.41	2.22	2.47	2.29	2.11

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 2.52P (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2010 Versus 2009**

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.5032		0.3117		0.4484	
GEOGRAPHIC DIVISION						
Northeast	0.2023		0.9674		0.6916	
New England	0.7746		0.5601		0.3406	
Middle Atlantic	0.1924		0.7683		0.3874	
Midwest	0.7642		0.2755		0.3150	
East North Central	0.4023		0.3102		0.2177	
West North Central	0.1008		0.6339		0.9362	
South	0.8384		0.5945		0.6587	
South Atlantic	0.3116		0.6313		0.7349	
East South Central	0.5448		0.5001		0.6511	
West South Central	0.0862		0.8181		0.9872	
West	0.0654		0.6800		0.7624	
Mountain	0.0411		0.6312		0.3769	
Pacific	0.3421		0.4448		0.3881	
COUNTY TYPE						
Large Metro	0.4415		0.9635		0.7998	
Small Metro	0.0242		0.4144		0.5134	
250K – 1 Mil. Pop.	0.0643		0.3455		0.5647	
< 250K Pop.	0.2223		0.9043		0.7483	
Nonmetro	0.7985		0.1722		0.2103	
Urbanized	0.3277		0.2122		0.3915	
Less Urbanized	0.3772		0.4400		0.3944	
Completely Rural	0.3603		0.6247		0.5267	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 2.53C (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2009 and 2010**

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	97	96	82	82	64	63
GEOGRAPHIC DIVISION						
Northeast	34	34	32	29	24	24
New England	16	14	15	13	12	11
Middle Atlantic	30	31	28	26	21	21
Midwest	36	34	32	31	27	25
East North Central	30	28	26	25	22	19
West North Central	19	20	17	18	15	16
South	61	64	48	54	40	43
South Atlantic	43	49	35	42	30	36
East South Central	22	21	18	18	13	14
West South Central	35	33	27	28	21	19
West	51	51	45	45	32	31
Mountain	24	24	20	21	14	16
Pacific	45	45	41	39	29	27
COUNTY TYPE						
Large Metro	83	84	69	71	50	51
Small Metro	67	62	54	48	38	33
250K – 1 Mil. Pop.	52	51	42	40	31	28
< 250K Pop.	43	36	34	28	22	18
Nonmetro	45	47	35	38	27	31
Urbanized	30	29	24	22	18	18
Less Urbanized	31	39	24	31	19	25
Completely Rural	17	10	12	9	6	8

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 2.53D (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
Standard Errors of Percentages, 2009 and 2010**

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.39	0.39	0.34	0.34	0.26	0.26
GEOGRAPHIC DIVISION						
Northeast	0.80	0.80	0.74	0.69	0.57	0.56
New England	1.48	1.27	1.33	1.18	1.12	1.02
Middle Atlantic	0.94	0.98	0.88	0.84	0.66	0.66
Midwest	0.66	0.64	0.58	0.58	0.49	0.47
East North Central	0.80	0.74	0.70	0.67	0.59	0.51
West North Central	1.17	1.24	1.02	1.12	0.91	0.99
South	0.68	0.71	0.54	0.60	0.44	0.48
South Atlantic	0.96	1.09	0.78	0.93	0.67	0.80
East South Central	1.48	1.47	1.24	1.24	0.87	0.97
West South Central	1.15	1.10	0.90	0.92	0.70	0.62
West	0.86	0.88	0.77	0.77	0.54	0.54
Mountain	1.35	1.33	1.11	1.18	0.78	0.90
Pacific	1.10	1.12	1.00	0.98	0.70	0.66
COUNTY TYPE						
Large Metro	0.56	0.56	0.47	0.48	0.36	0.36
Small Metro	0.65	0.64	0.56	0.53	0.45	0.42
250K – 1 Mil. Pop.	0.73	0.79	0.67	0.68	0.55	0.53
< 250K Pop.	1.26	1.12	1.03	0.91	0.78	0.69
Nonmetro	0.85	0.90	0.74	0.82	0.60	0.74
Urbanized	1.27	1.17	1.11	1.02	0.93	0.88
Less Urbanized	1.28	1.43	1.07	1.32	0.89	1.22
Completely Rural	2.31	2.65	1.97	2.46	1.42	2.20

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 2.53P (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2010 Versus 2009**

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.0005		0.0422		0.0731	
GEOGRAPHIC DIVISION						
Northeast	0.8074		0.7033		0.2674	
New England	0.6466		0.3393		0.8007	
Middle Atlantic	0.6124		0.3478		0.2610	
Midwest	0.0000		0.0124		0.0452	
East North Central	0.0000		0.0021		0.0021	
West North Central	0.2064		0.9903		0.4919	
South	0.0673		0.8051		0.4357	
South Atlantic	0.4225		0.5230		0.8518	
East South Central	0.2860		0.3225		0.4518	
West South Central	0.1018		0.4724		0.4501	
West	0.1772		0.1481		0.9349	
Mountain	0.9456		0.8727		0.4437	
Pacific	0.1138		0.1221		0.5928	
COUNTY TYPE						
Large Metro	0.0039		0.1455		0.2698	
Small Metro	0.3181		0.2171		0.0357	
250K – 1 Mil. Pop.	0.8666		0.7947		0.2340	
< 250K Pop.	0.1532		0.0848		0.0475	
Nonmetro	0.0398		0.4865		0.6943	
Urbanized	0.0389		0.0926		0.1865	
Less Urbanized	0.6091		0.6840		0.3828	
Completely Rural	0.0489		0.6802		0.1765	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 2.54C (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2009 and 2010**

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	162	171	173	169	162	160
GEOGRAPHIC DIVISION						
Northeast	61	68	66	69	65	65
New England	28	31	32	35	32	33
Middle Atlantic	54	60	57	59	57	55
Midwest	62	66	64	63	64	64
East North Central	48	54	50	51	53	52
West North Central	37	35	39	36	36	37
South	98	113	99	111	101	105
South Atlantic	80	90	78	86	78	80
East South Central	35	36	36	34	38	34
West South Central	47	55	51	59	53	57
West	94	87	97	94	81	87
Mountain	43	37	40	37	34	36
Pacific	84	79	89	87	74	80
COUNTY TYPE						
Large Metro	227	261	180	201	150	170
Small Metro	197	207	158	150	131	123
250K – 1 Mil. Pop.	150	152	114	108	94	92
< 250K Pop.	136	141	112	104	90	82
Nonmetro	204	129	156	106	131	94
Urbanized	183	91	135	71	111	64
Less Urbanized	97	95	83	80	72	68
Completely Rural	31	35	26	27	22	26

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 2.54D (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
Standard Errors of Percentages, 2009 and 2010**

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.48	0.50	0.51	0.50	0.48	0.47
GEOGRAPHIC DIVISION						
Northeast	0.99	1.12	1.07	1.14	1.07	1.07
New England	1.75	1.93	1.98	2.14	2.00	2.03
Middle Atlantic	1.19	1.36	1.27	1.34	1.25	1.25
Midwest	0.84	0.88	0.88	0.84	0.88	0.85
East North Central	0.95	1.06	0.99	0.98	1.04	1.01
West North Central	1.66	1.48	1.73	1.54	1.60	1.55
South	0.82	0.91	0.83	0.90	0.84	0.85
South Atlantic	1.31	1.42	1.28	1.36	1.28	1.27
East South Central	1.86	1.81	1.87	1.73	1.98	1.70
West South Central	1.17	1.35	1.26	1.43	1.31	1.39
West	1.16	1.08	1.20	1.16	1.00	1.07
Mountain	1.77	1.49	1.64	1.49	1.40	1.45
Pacific	1.49	1.41	1.57	1.55	1.30	1.42
COUNTY TYPE						
Large Metro	0.69	0.73	0.70	0.69	0.66	0.65
Small Metro	0.80	0.92	0.89	0.93	0.87	0.88
250K – 1 Mil. Pop.	0.98	1.07	1.03	1.17	0.97	1.13
< 250K Pop.	1.38	1.57	1.52	1.40	1.50	1.35
Nonmetro	1.01	0.96	1.06	1.09	1.14	1.10
Urbanized	1.38	1.55	1.34	1.60	1.59	1.66
Less Urbanized	1.59	1.34	1.74	1.67	1.84	1.62
Completely Rural	3.42	3.60	3.80	3.13	3.75	3.46

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 2.54P (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2010 Versus 2009**

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.0266		0.0029		0.0240	
GEOGRAPHIC DIVISION						
Northeast	0.2569		0.0450		0.0542	
New England	0.2600		0.3181		0.6254	
Middle Atlantic	0.4553		0.0768		0.0514	
Midwest	0.6540		0.1611		0.6942	
East North Central	0.1716		0.0488		0.2191	
West North Central	0.2126		0.7676		0.2618	
South	0.1242		0.1430		0.2241	
South Atlantic	0.1584		0.3311		0.6376	
East South Central	0.5106		0.3556		0.2088	
West South Central	0.7333		0.4519		0.3977	
West	0.2467		0.1629		0.2539	
Mountain	0.6592		0.5941		0.4382	
Pacific	0.2782		0.2007		0.3618	
COUNTY TYPE						
Large Metro	0.4411		0.1312		0.1475	
Small Metro	0.0158		0.0185		0.1001	
250K – 1 Mil. Pop.	0.1530		0.0694		0.3568	
< 250K Pop.	0.0311		0.0978		0.1175	
Nonmetro	0.5672		0.2459		0.8226	
Urbanized	0.6049		0.9398		0.4199	
Less Urbanized	0.7682		0.1921		0.3585	
Completely Rural	0.9464		0.4106		0.6904	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.55C (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	853	822	778	798	753	747
GEOGRAPHIC DIVISION						
Northeast	365	344	313	309	282	292
New England	179	169	141	135	138	121
Middle Atlantic	318	297	281	276	247	263
Midwest	319	304	311	342	303	327
East North Central	255	255	255	275	253	260
West North Central	188	168	184	192	174	188
South	575	534	547	544	529	512
South Atlantic	480	415	424	404	412	386
East South Central	197	212	192	194	199	183
West South Central	263	283	282	270	264	252
West	442	435	364	394	356	369
Mountain	210	184	180	191	167	197
Pacific	385	395	318	345	315	314
COUNTY TYPE						
Large Metro	1,509	1,447	709	715	656	658
Small Metro	995	1,073	533	525	509	495
250K – 1 Mil. Pop.	842	878	449	408	416	382
< 250K Pop.	657	637	313	323	305	307
Nonmetro	765	797	392	402	375	367
Urbanized	506	618	274	253	255	235
Less Urbanized	527	577	277	299	262	271
Completely Rural	357	296	136	119	134	100

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.55D (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.44	0.42	0.40	0.41	0.39	0.38
GEOGRAPHIC DIVISION						
Northeast	1.01	0.95	0.87	0.85	0.79	0.80
New England	1.89	1.78	1.48	1.41	1.46	1.27
Middle Atlantic	1.20	1.11	1.06	1.03	0.93	0.98
Midwest	0.75	0.71	0.73	0.80	0.71	0.77
East North Central	0.86	0.86	0.86	0.93	0.85	0.88
West North Central	1.47	1.31	1.44	1.49	1.36	1.46
South	0.81	0.75	0.77	0.76	0.74	0.72
South Atlantic	1.27	1.09	1.12	1.06	1.09	1.01
East South Central	1.70	1.82	1.65	1.67	1.71	1.57
West South Central	1.23	1.30	1.32	1.24	1.23	1.16
West	1.00	0.97	0.82	0.88	0.80	0.82
Mountain	1.55	1.34	1.33	1.39	1.23	1.43
Pacific	1.26	1.27	1.04	1.11	1.03	1.01
COUNTY TYPE						
Large Metro	0.65	0.62	0.55	0.59	0.53	0.55
Small Metro	0.74	0.74	0.74	0.73	0.73	0.71
250K – 1 Mil. Pop.	0.92	0.91	0.93	0.84	0.89	0.82
< 250K Pop.	1.28	1.31	1.29	1.37	1.31	1.31
Nonmetro	1.00	0.94	0.95	0.97	0.93	0.91
Urbanized	1.54	1.40	1.46	1.43	1.44	1.38
Less Urbanized	1.33	1.46	1.39	1.46	1.33	1.39
Completely Rural	3.20	2.95	2.61	2.90	2.69	2.44

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 2.55P (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2010 Versus 2009**

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.9564		0.7637		0.8169	
GEOGRAPHIC DIVISION						
Northeast	0.1427		0.5898		0.3355	
New England	0.6850		0.5979		0.3778	
Middle Atlantic	0.1456		0.4202		0.1478	
Midwest	0.9162		0.4537		0.3708	
East North Central	0.1284		0.6378		0.4007	
West North Central	0.0554		0.5265		0.6921	
South	0.8105		0.7468		0.8214	
South Atlantic	0.4743		0.6724		0.7659	
East South Central	0.6872		0.6155		0.8113	
West South Central	0.0428		0.6643		0.8197	
West	0.0926		0.9425		0.9592	
Mountain	0.0250		0.5583		0.3327	
Pacific	0.4952		0.8007		0.5355	
COUNTY TYPE						
Large Metro	0.2282		0.6245		0.5238	
Small Metro	0.0594		0.6536		0.7299	
250K – 1 Mil. Pop.	0.0717		0.4755		0.6727	
< 250K Pop.	0.5168		0.8329		1.0000	
Nonmetro	0.9642		0.3178		0.2365	
Urbanized	0.2767		0.3401		0.3981	
Less Urbanized	0.4763		0.6297		0.4985	
Completely Rural	0.3879		0.6029		0.4106	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.56C (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	875	852	829	828	790	772
GEOGRAPHIC DIVISION						
Northeast	374	351	339	322	301	302
New England	184	175	154	146	150	133
Middle Atlantic	325	302	303	285	262	269
Midwest	331	314	330	359	319	342
East North Central	264	263	272	288	267	269
West North Central	196	176	192	204	181	200
South	586	549	568	564	548	529
South Atlantic	485	428	447	418	430	401
East South Central	203	217	198	200	209	187
West South Central	271	286	292	284	271	264
West	450	455	384	411	373	384
Mountain	220	187	191	204	176	205
Pacific	391	415	336	357	331	327
COUNTY TYPE						
Large Metro	1,566	1,513	759	763	698	696
Small Metro	1,061	1,140	597	585	562	542
250K – 1 Mil. Pop.	896	921	495	446	451	414
< 250K Pop.	707	685	363	363	348	338
Nonmetro	824	837	444	432	416	395
Urbanized	567	658	322	278	294	260
Less Urbanized	568	613	311	325	290	293
Completely Rural	373	312	147	130	144	111

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.56D (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.38	0.37	0.36	0.36	0.35	0.34
GEOGRAPHIC DIVISION						
Northeast	0.89	0.83	0.81	0.76	0.72	0.71
New England	1.66	1.57	1.39	1.31	1.36	1.19
Middle Atlantic	1.05	0.97	0.98	0.91	0.84	0.86
Midwest	0.67	0.63	0.66	0.72	0.64	0.68
East North Central	0.76	0.76	0.79	0.83	0.77	0.77
West North Central	1.30	1.16	1.27	1.34	1.20	1.31
South	0.71	0.65	0.68	0.67	0.66	0.63
South Atlantic	1.10	0.96	1.01	0.94	0.98	0.90
East South Central	1.50	1.59	1.46	1.47	1.54	1.37
West South Central	1.07	1.11	1.15	1.10	1.06	1.02
West	0.86	0.86	0.73	0.78	0.71	0.73
Mountain	1.38	1.15	1.20	1.26	1.10	1.26
Pacific	1.08	1.13	0.92	0.97	0.91	0.89
COUNTY TYPE						
Large Metro	0.57	0.55	0.49	0.52	0.47	0.48
Small Metro	0.64	0.65	0.68	0.66	0.66	0.64
250K – 1 Mil. Pop.	0.79	0.81	0.83	0.76	0.79	0.74
< 250K Pop.	1.09	1.13	1.20	1.21	1.21	1.15
Nonmetro	0.87	0.82	0.87	0.86	0.85	0.82
Urbanized	1.31	1.25	1.32	1.28	1.30	1.25
Less Urbanized	1.17	1.27	1.27	1.29	1.22	1.22
Completely Rural	2.90	2.65	2.44	2.66	2.51	2.28

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 2.56P (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2010 Versus 2009**

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.6246		0.3806		0.4926	
GEOGRAPHIC DIVISION						
Northeast	0.2156		0.9595		0.6507	
New England	0.8366		0.4695		0.3317	
Middle Atlantic	0.1934		0.7220		0.3580	
Midwest	1.0000		0.3585		0.3708	
East North Central	0.2228		0.4347		0.2998	
West North Central	0.0956		0.6181		0.8771	
South	0.9361		0.5908		0.6768	
South Atlantic	0.3213		0.5747		0.7252	
East South Central	0.5882		0.5441		0.6766	
West South Central	0.0569		0.7707		0.9525	
West	0.0619		0.7750		0.7409	
Mountain	0.0236		0.6211		0.4120	
Pacific	0.3789		0.5341		0.3929	
COUNTY TYPE						
Large Metro	0.3062		0.8681		0.7541	
Small Metro	0.0169		0.4443		0.5691	
250K – 1 Mil. Pop.	0.0398		0.3315		0.5883	
< 250K Pop.	0.2396		0.9964		0.8222	
Nonmetro	0.9209		0.1833		0.1925	
Urbanized	0.3085		0.2377		0.4035	
Less Urbanized	0.4654		0.4390		0.3809	
Completely Rural	0.3957		0.6312		0.4505	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.